



PHSD SSG SL

Pictured: PHSD-SSG-SL

Standard Mechanical Seals

with super segmented ring
technology

FEATURES AND TECHNICAL DATA:

- Super segment ring technology allows individual adjustment to the pipe/cable diameter on site
- Segments imprinted with exact diameter indication and predefined breaking point
- Ideal for smaller pipes or larger cables, multiple cable/pipe OD's covered with one seal
- Available in 1.575 inch (40 mm) width EPDM or NBR rubber
- Completely gastight and watertight
- Visual and tangible installation reliability due to built-in inspection opening



CORE DRILL HOLE / WALL SLEEVE ID RANGE inch (mm)	NUMBER OF CABLES/PIPES	CABLE OR PIPE DIAMETER OD RANGE inch (mm)	CATALOG NUMBER	PRODUCT EXAMPLE
3.937 - 4.016 (100 mm)	1	0.709 - 2.559 (18 - 65 mm)	PHSD4-SSG-SL	
5.906 - 5.985 (150 mm)	1	2.756 - 4.409 (70 - 112 mm)	PHSD6-SSG-SL	
7.874 - 7.953 (200 mm)	1	4.331 - 6.378 (110 - 162 mm)	PHSD8-SSG-SL	
*9.843 - 9.922 (250 mm)	1	6.260 - 8.307 (159 - 211 mm)	PHSD10-SSG-SL	
*11.811 - 11.890 (300 mm)	1	7.874 - 9.921 (200 - 252 mm)	PHSD12-SSG-SL	

* Blind cap available as an optional accessory.
Other types in V4A (AISI 316L) and NBR on request.

If either your OD or ID falls outside the ranges listed, please contact us for additional solutions.

IMPORTANT NOTICE: The statements here are made in good faith based on tests and observations we believe to be reliable. However, the completeness and accuracy of the information is not guaranteed. Before using, the end-user should conduct whatever evaluations are necessary to determine that the product is suitable for the intended use.

American Polywater expressly disclaims any implied warranties and conditions of merchantability and fitness for a particular purpose. American Polywater's only obligation shall be to replace such quantity of the product proven to be defective. Except for the replacement remedy, American Polywater shall not be liable for any loss, injury, or direct, indirect, or consequential damages resulting from product's use, regardless of the legal theory asserted.

CONTACT US

1-800-328-9384 Toll Free
1-651-430-2270 Main
1-651-430-3634 Fax

email:
support@polywater.com

American Polywater Corp.
11222 60th Street N
Stillwater, MN 55082 USA



polywater-haufftechnik.com